

CHALLENGES AND BARRIERS IN MIGRATION AS A RESULT OF THE ECONOMIC VULNERABILITY OF TRANS* WOMEN IN THE KYRGYZ REPUBLIC

Kanykey kyzy PO "Kyrgyz Indigo" Kyrgyzstan Tallinn 2019







UN

DP





Goals and objectives of the study

The goal of this work is to study the underlying causes for the external migration of trans* women involved in sex work, to assess their social and economic well-being, and to analyze difficulties and barriers in relation to human rights and mental health.

The objectives of the study are:

1. To describe the socio-economic aspects of the lives of transgender migrant women involved in sex work;

2. To study systematic barriers and the experience of migration of transgender women sex workers in the context of human rights and physical and mental health.
















Demographic information


3. Ваша гендерная идентичность:


26 ответов



трансгендерная женщина транссексуалка кроссдрессерка бигендерная агендерная гендерквирная







- бисексуальная
- пансексуальная
- Универсалька









۲


U N D P

Empowered lives Resilient nations






12. Собираетесь ли вы менять паспортный пол (ваш пол, указанный в паспорте)? 26 ответов



да
Нет
уже сменила
в процессе смены

9. Ваш род деятельности?

26 ответов




13. Какой религии придерживаетесь?

26 ответов

۲

U N D P

Empowered lives Resilient nations



ислам православие католицизм протестантизм буддизм атеизм - не верю в существование бога агностицизм - не верю в существующие религиозные учен...

🛑 нет ответа













ECOM



Forced Sex Work: Risks, Violence, and Discrimination

U N D P

Empowered live











ECOM



Issues of intersectional identities and migration




















Complex challenges for physical, mental, sexual, and reproductive health and their correlation with the frequent consumption of tobacco, alcohol, drugs, stimulants, and hormone therapy

















World Health Organization WHO Regional Office for Europe

11. Когда-нибудь принимали наркотические средства? 26 ответов



10. Как часто вы пьете алкогольные напитки?

25 ответов



12. Как часто вы принимаете наркотические средства? 20 ответов











۲

U N D P

Empowered lives. Resilient nations.



🌀 Глобальный фонд

● да ● нет



Drug use is divided up as follows:

- 1) Marijuana– 70% of drug users;
- "Club drugs" (poppers, ketamine, "liquid ecstasy") and other chemical drugs that are smoked – 55%;
- Ecstasy (synthetic drugs in the form of multicolored tablets or capsules) and amphetamines (synthetic substances containing amphetamine administered intravenously) – 45%;
- 4) Cocaine 35%.


13. Какие виды наркотических средств вы принимали? Отметьте все

подходящи варианты.

20 ответов

UN

DP





0













Almost a quarter (22%) of respondents admit that they may have a drug addiction. Chemsex is widespread among respondents – 69% have experienced chemsex, 27% – often engage in it, 35% – from time to time. During chemsex, the composition of drugs does not change significantly.

14. Когда-нибудь занимались сексом под воздействием наркотических средств (химический секс)? 268лbsp;ответов



16. Как вы думаете, у вас есть психологическая и/или физическая зависимость от наркотиков? 23 ответа











UN

DP





Respondents act responsibly in relation to HIV and STIs: 66% are tested for HIV one or more times a year, and, for STIs, this figure is 80%. Almost everyone knows their HIV status, 26% of whom are people living with HIV. This result is an alarming sign of a possible HIV epidemic within the group.

Of the respondents, 56% indicated that they have HIV+ acquaintances from the target group; 32% of them know a couple of PLH, 16% know from three to five PLH, and two respondents know five or more PLH.

The need for the services of medical specialists can be divided into the following categories:

During the past 12 months, 39% of respondents required the services of a proctologist;

35% needed the services of a urologist;

15% needed the services of a dermatovenereologist.














Co-sponsored by WHO Regional Office for Europe


19. Какой у вас ВИЧ-статус?

26 ответов



- положительный (в организме есть вирусы ВИЧ)
 отрицательный (в организме нет
- вирусов ВИЧ)
- 😑 не знаю свой ВИЧ-статус
- 🔵 нет ответа

18. Сколько транс девушек секс-работниц с ВИЧ+ статусом вы знаете? 25 ответов



1-2
3-5
5 и более
не знаю
нет ответа















The most widespread impairment of sexual and reproductive health is erectile dysfunction, including weak penile erection, 72% of respondents suffer from this. This is followed by the negative impact of hormonal therapy on sexual practices (61%), and an overall reduction in the quality of sexual life (17%).

The respondents have a fairly high level of condom use during sexual contact *with clients*; a majority always use condoms (58%), 35% reported frequent use, and 7.7% never use condoms.













A majority of respondents (77%) resort to various sexual stimulants like Viagra, Siagra, Levitra, etc. during sexual contacts. 23% of them constantly use stimulants, while 23% often resort to using them. A large number of them only sometimes use such substances -39%.

Regarding the frequency of sexual relations with clients, 69% of respondents indicated that they receive from 5 to 15 (42%) and from 15 to 30 (27%) clients per week.

More than half of them are versatile (sexual role) during sexual contacts (54%), which confirms the need for stimulant drugs if there is a large number of clients. 31% of respondents are active, while 15% of respondents are passive.













ROD3

World Health Organization Exerpt Co-sponsored by WHO Regional Office for Europe

https://indigo.kg/



۲

U N D P

Empowered lives Resilient nations





🌀 Глобальный фонд



0